

ИЗЈАВА ЗА СВОЈСТВА

No. 0008 – CPR –v2

- Единствен код за идентификација на производот-типот: **CEM IV/B (V-P) 42,5 N**
- Наменска употреба или употреба на градежниот производ, во согласност со важечката хармонизирана техничка спецификација, како што е предвидено од страна на производителот:
Овој тип на цемент се користи за подготовка на бетон, малтер и др.
- Име, регистрирано трговско име или регистрирана трговска марка и контакт адреса на производителот како што се бара согласно член 11(5):
Цементарница УСЈЕ АД Скопје, Ул. Борис Трајковски 94, 1000 Скопје, Република Северна Македонија.
- Ако се применува, име и контакт адреса на овластениот претставник, чие овластување опфаќа задачи со член 12(2):
Не се применува.
- Систем или системи на оценување и верификација на константноста на својствата на градежниот производ како што е утврдено во Анекс (V):
Систем 1+
- Во случај на Изјава за својства во врска со градежен производ кој е покриен со хармонизиран стандард **EN 197-1:2011 (MKS EN 197-1:2012)**.
Нотифицираното европската сертификационо тело "EUROCERT", со идентификациски број **1128**, направи определување на типот на производот врз основа на тестирање на типот (вклучително и земање на примерок), изврши почетен надзор на производството, контрола на фабричкото производство и врши континуирано следење, евалуација и оценување на фабричкото производство според системот 1+ и издаде Сертификат за својства Бр. **1128-CRP-10.09.0278.01/05** издаден на **24.03.2022** година.
- Декларирани својства

Суштински карактеристики	Својство	Хармонизирана техничка спецификација
Тип на цемент	CEM IV/B CEM IV/B (V-P) 42,5 N	EN 197-1:2011 MKS EN 197-1:2012
Јачина на притисок (стандардни и рани) МПа	42,5 N ES (2d) ≥ 10,0; FS (28d) ≥ 42,5; ≤ 62,5	
Време на врзување (почетно, min)	Задоволува / ≥60	
Стабилност (експанзија) (mm)	Задоволува / ≤ 10	
SO ₃ содржина (%)	Задоволува / ≤ 3,5	
Пуцоланска активност	Задоволува тест	
Содржина на хлориди	Задоволува / ≤ 0.1%	

Својствата на производот идентификувани во точките 1 и 2 се во согласност со декларираниите својства во точка 7. Оваа Изјава за својства е издадена под единствена одговорност на производителот идентификуван во точка 4.

Потпишано за и во име на производителот од:

Главен извршен директор,
Борис Хрисафов

Скопје, 31.03.2022

ГРУПАЦИЈА ТИТАН

ЦЕМЕНТАРНИЦА "УСЈЕ" А.Д - СКОПЈЕ

ул. Борис Трајковски 94, 1000 Скопје, Р. Северна Македонија, Тел.: + 389 2 2782 500, Продажба: 2786 536, Факс: 2786 314

WWW.USJE.COM.MK

F2a-P.140/8

DECLARATION OF PERFORMANCE

No. 008 – CPR –v2

- Unique identification code of the product-type: **CEM IV/B (V-P) 42,5 N**
- Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer: **Preparation of concrete, grout, mortar etc.**
- Name, registered trade name or registered trademark and contact address of the manufacturer as required pursuant to Article 11(5): **Cementarnica USJE AD Skopje, Boris Trajkovski No.94-1000 Skopje, R. of North Macedonia**
- Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2): **Not applicable**
- System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: **System 1+**
- In case of the declaration of performance concerning a construction, product covered by a harmonized standard: **EN 197-1:2011 (MKC EN 197-1:2012).**
 Notified product certification body No.1128 performed determination of the product type on the basis of type testing (including sampling), the initial inspection of the manufacturing plant and of factory production control, the continuous surveillance, assessment and evaluation of factory production control and the audit testing of samples taken before placing the product on the market under system 1+ and issued the certificate of constancy of performance with N° 1128-CRP-10.09.0278.01/05 and date 24.03.2022 year.
- Declared performance/s:

Essential characteristics	Performance	Harmonized technical specification
Common cements (subfamilies) constituents and composition	CEM IV/B CEM IV/B (V-P) 42,5 N	EN 197-1:2011 MKC EN 197-1:2012
Compressive strength (early and standard) MPa	42,5 N ES (2d) ≥ 10,0; FS (28d) ≥ 42,5; ≤ 62,5	
Setting time (Initial, min)	Pass/ ≥60	
Soundness (expansion) (mm)	Pass/ ≤ 10	
SO3 content (%)	Pass/ ≤ 3,5	
Pozzolanicity	Satisfies the test	
Chloride content	Pass/ ≤ 0.1%	

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chief Executive Director,
 Boris Hrisafov

Skopje, 31.03.2022

TITAN GROUP

CEMENTARNICA "USJE" A.D - SKOPJE

Str. Boris Trajkovski 94, 1000 Skopje, R. of North Macedonia, Tel.: + 389 2 2782 500, Sales: 2786 536, Fax: 2786 314

WWW.USJE.MK

F2a-P.140/8